



GenieMat WSI is a vibration isolator made from a combination of vibration damping materials.

By combining ultra high performance elastomers with bearing plates, high vibration isolation values are achieved for the most problematic equipment.

Vibration pads are available for any selectorised application. Vibration isolation efficiencies up to 99% and over 40dB noise reduction are commonly achieved, eliminating noise transfer into other areas.

PRODUCT SPECIFICATION

PRODUCT NAME: **GenieMat WSI**

STANDARD THICKNESS: 64 mm (2 1/2") (unloaded)

STANDARD SIZES: Custom

STATIC DEFLECTION: 13 mm - 25 mm (1/2" - 1")

PRODUCT AVAILABILITY: **GenieMat WSI** is sold individually. For other special applications please consult us.

TECHNICAL DATA

MECHANICAL LOSS FACTOR
(DIN 53513): 0.25

STATIC E-MODULUS
(DIN 53513): 0.048 N/mm²

DYNAMIC E-MODULUS
(DIN 53513): 0.144 N/mm²

STATIC SHEAR MODULUS
(DIN 53513): 0.04 N/mm²

TECHNICAL DATA (CONTINUED)

DYNAMIC SHEAR MODULUS (DIN 53513):	0.09 N/mm ²
---------------------------------------	------------------------

RESISTANCE TO STRAIN:	0.011 N/mm ²
-----------------------	-------------------------

RESIDUAL COMPRESSION SET (DIN EN ISO 1856):	< 5%
--	------

TENSILE STRENGTH (DIN 53455-6-4):	> 0.35 N/ ²
--------------------------------------	------------------------

ELONGATION AT BREAK (DIN 53455-6-4):	> 400
---	-------

TEAR RESISTANCE (DIN ISO 34-1/A):	> 0.6 N/m
--------------------------------------	-----------


REBOUND ELASTICITY (DIN EN ISO 8307):	50%
--	-----

SPECIFIC VOLUME RESISTANCE (DIN IEC 93):	> 1 ¹² Ω·cm
---	------------------------

THERMAL CONDUCTIVITY (DIN 52612-1):	0.05 W/[m·K]
--	--------------

OPERATING TEMPERATURE:	-30 to +70 °C
------------------------	---------------

TEMPERATURE PEAK:	+120 °C
-------------------	---------



AROUND THE WORLD.

PLITEQ INC.

131 Royal Group Crescent
Vaughan, ON
L4H 1X9 Canada

4211, Yonge Street,
Suite 404, Toronto, ON
M2P 2A9 Canada

2015 Main St,
Vancouver, BC
V5T 3C2 Canada

T.+1 416 449 0049
info@pliteq.com
www.pliteq.com

PLITEQ (DE)

251 Little Falls Drive
Wilmington, DE
19808
United States of America

PLITEQ (AZ)

11701 N. 132nd Drive
Surprise, AZ
85379
United States of America

T.+1 480 805 5560
info@pliteq.com
www.pliteq.com

PLITEQ (UK) LTD.

Office 205, Orega High
Holborn, 16 High Holborn,
London, WC1V 6BX
United Kingdom

T.+44 203 9846444
info@pliteq.co.uk
www.pliteq.co.uk

PLITEQ MEXICO

Calz. Gral. Mariano
Escobedo 476-piso 12
Chapultepec Morales,
Anzures,
Miguel Hidalgo, 11590
Ciudad de México, CDMX
Mexico

T.+52 1 938 164 1551

PLITEQ ASIA PACIFIC PTE LTD.

#19-13, 101 Cecil Street,
Tong Eng Building, 069533
Singapore

T.+65 6813 2017
info@pliteq.sg
www.pliteq.sg

PLITEQ BUILDING MATERIALS TRADING LLC.

European Business Centre
Dubai Investment Park
PO Box 473 512
United Arab Emirates

T. +971 4 567 4944
info@pliteq.ae
www.pliteq.ae

PLITEQ AUSTRALIA PTY LTD.

68-82 York St, South
Melbourne, VIC, 3205
Australia
ABN: 86 675 027 433

T.+61 455 203 269
info@pliteq.com.au
www.pliteq.com.au

